
S15648 776 NHIFOI/LOM
Edition: 01.04.2026

The Spare Part List is valid for the following articles:
15648 E8 pianoblack NA


The Variant designations mean:

S15648 / s15648_01




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 74632 | 0101 | Back black | |
| 62942 | 0102 | Fillister head screw 3.5x12 | |
| 74631 | 0103 | Tank lid | |
| 73641 | 0104 | Watertank handle black | |
| 72542 | 0105 | Service plug cover V2 | |
| 74645 | 0106 | Smart E-line extension | |
| 74630 | 0107 | Left side section black | |
| 74646 | 0108 | Watertank assembled | |
| 74648 | 0108 | Watertank assembled pianoblack | |
| 74647 | 0109 | Front shield black left | |
| 74633 | 0110 | Right side section black | |
| 65799 | 0111 | Screw KST/PT 3x12 vz-sw RoHS | |
| 65946 | 0112 | Screw KST/PT 3.5x12 RoHS | |
| 69273 | 0135 | Adapter to power knob | |
| 63501 | 0136 | Screw M3x10 Torx10 | |
| 75570 | 0138 | Switch compl. | |
| 75376 | 0141 | Jumper cable 4col. | |

S15648 / s15648_02




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 62942 | 0201 | Fillister head screw 3.5x12 | |
| 75518 | 0202 | Displaymodul TFT E8 | |
| 75517 | 0203 | Front profile black | |
| 75547 | 0204 | Front shield black | |
| 73632 | 0205 | Outlet gate cpl. | |
| 58894 | 0206 | Pt-screw nom dia 35x16 | |
| 74615 | 0207 | Front shield black right | |
| 74629 | 0208 | Outlet ass. coffee | |
| 75548 | 0209 | Cover black compl. | |
| 75520 | 0210 | Cover chromium | |
| 64989 | 0211 | Screw KST/PT 3.0x 8 | |
| 75064 | 0212 | Support black | |
| 74086 | 0213 | Silicone tissue hose D7.0xd3.6x230 | |
| 65903 | 0214 | Hose clamping 7.0-7.5 RoHS | |
| 74619 | 0215 | Connection s L-Form 90° | |
| 58916 | 0216 | O-ring silicon 6.75x1.78 | |
| 66590 | 0217 | Nozzle | |
| 71913 | 0218 | Water tube short black | |
| 72773 | 0219 | Connection I-forme cappu | |
| 69063 | 0220 | O-ring 4.00x1.50 silicon/2-K | |
| 74620 | 0221 | Cappu discharge cpl. | |
| 64390 | 0222 | O-ring 6.0x1.5 Silicon | |
| 74621 | 0223 | Foam nozzle | |
| 73589 | 0224 | Valve cpl. | |
| 74626 | 0226 | Spindle to regulation cappu | |
| 74625 | 0227 | Dispenser cappu. | |
| 74493 | 0228 | Outlet ass. coffee | |
| 75568 | 0230 | Plug | |
| 72345 | 0231 | Cappu discharge V3 cpl. | |
| 72346 | 0232 | Milk spout CX3 | |
| 66583 | 0233 | Bride | |
| 74628 | 0234 | Housing lid black | |
| 74627 | 0235 | Outlet gate black | |
| 72247 | 0236 | Silicone hose D6.0xd3.0x350mm | |
| 65903 | 0237 | Hose clamping 7.0-7.5 RoHS | |
| 64882 | 0238 | Silicone tissue hose D7.0xd3.6x350mm | |
| 74669 | 0239 | Silicone hose D6.0xd3.0x95mm | |
| 72249 | 0240 | Connection I-forme | |
| 65835 | 0241 | Silicone hose D6.0xd3.0x360mm | |
| 64881 | 0241 | Silicone hose 6x3x300mm | |
| 64879 | 0243 | Silicone hose 6x3x160mm | |

S15648 / s15648_03




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 62942 | 0301 | Fillister head screw 3.5x12 | |
| 72494 | 0302 | Box for powder funnel black | |
| 74640 | 0303 | Powder funnel black | |
| 74639 | 0304 | Cover | |
| 74641 | 0305 | Bean container lid | |
| 74642 | 0308 | Finger guard | |
| 75380 | 0310 | Turn knob grinding adjustment | |
| 75381 | 0311 | Knob shield black | |
| 75526 | 0314 | Housing lid complete | |

S15648 / s15648_04




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 74635 | 0401 | Coffee grounds container | |
| 74636 | 0402 | Cup grille | |
| 75290 | 0403 | Drain pan kpl. | |
| 74634 | 0405 | Rubber flap to grounds container | |

S15648 / s15648_05




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 62942 | 0501 | Fillister head screw 3.5x12 | |
| 66647 | 0502 | Screw KST/PT 3.0x30 | |
| 68784 | 0503 | Transformer 120V V2 | |
| 70970 | 0504 | Silicone hose D8.7xd4.7x200mm | |
| 67924 | 0505 | Condens casing | |
| 72525 | 0506 | Support Inox V2 | |
| 74653 | 0507 | Protective wall black | |
| 72780 | 0508 | Connection L-forme | |
| 74652 | 0509 | Sensor water level | |
| 64989 | 0510 | Screw KST/PT 3.0x 8 | |
| 59898 | 0511 | Washer blue zinged m3 | |
| 74651 | 0512 | Sensor support | |
| 75872 | 0513 | Powerbox E8 120V compl. | |
| 70705 | 0514 | Incoming feeder UL TA-3A V2 | |
| 72508 | 0515 | Bracket black | |
| 69122 | 0516 | Terminal 3-terminals | |
| 58656 | 0517 | Cable retaining clip | |
| 74650 | 0518 | Support detection spring | |
| 69919 | 0519 | Detection spring inox | |
| 68331 | 0521 | Elastic pad | |
| 66623 | 0522 | Microswitch 125-250VAC | |
| 62079 | 0523 | Screw kst/PT 3.0x20 | |
| 62587 | 0524 | Fillister head screw 3x12 | |
| 75044 | 0525 | Connecting water tank sensor | |
| 75918 | 0526 | Setback valve compl. | |

S15648 / s15648_06




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 74658 | 0601 | Heating support thermoblock | |
| 70623 | 0602 | Thermoblock 2010/L 120V/1400W | |
| 74659 | 0603 | Lid thermoblock | |
| 75529 | 0604 | Sensor thermoblock | |
| 65743 | 0605 | Screw M5x12 vz-blau Li-K | |
| 74660 | 0606 | Washer inox | |
| 75874 | 0607 | Fused-cord UL 192C (1xG5) | |
| 75873 | 0608 | Fused-cord UL 192C (1xG5) | |
| 66821 | 0609 | Connection F 90° | |
| 62942 | 0610 | Fillister head screw 3.5x12 | |
| 68057 | 0611 | O-ring 100pcs (sep. 63444) | |
| 71423 | 0612 | O-ring 100pcs (sep. 70041) | |
| 64048 | 0613 | O-ring 100pcs (sep. 58775) | |
| 69992 | 0614 | Clamp STB TB2010 | |
| 74778 | 0615 | Connecting yellow-green | |
| 62670 | 0616 | Screw M4x8 | |
| 64982 | 0617 | Clamp D=5mm black oxidised | |
| 58625 | 0618 | Clamp | |
| 69962 | 0619 | Fluid connection V-forme125°V2 | |
| 74976 | 0620 | Hose FEP D4.0xd2.5x205mm | |
| 72282 | 0621 | Hose FEP D4.0xd2.5x235mm | |
| 65847 | 0622 | Hose FEP D4.0xd2.5x220mm | |
| 69959 | 0623 | Cord sleeve 120° black | |
| 72283 | 0624 | Cord sleeve 180 black | |
| 59456 | 0625 | Inner distributing collar | |
| 64049 | 0625 | Inner distrib. collar 100pcs | |
| 70135 | 0626 | Sieve | |
| 72177 | 0627 | RFID bobbin cpl. (D) | |
| 74663 | 0628 | Tank base black | |
| 73260 | 0629 | RFID Print cpl. 370mm | |
| 73707 | 0630 | Flowmeter FHKSC 12 0°- OT1.3 | |
| 74575 | 0630 | O-ring 100pcs ( Flowmeter ) | |
| 69942 | 0631 | Silicone hose D8.7xd4.7x140mm | |
| 64848 | 0632 | Silicone hose 8.7x4.7x230mm | |
| 74662 | 0633 | Shaped hose silicone | |
| 74474 | 0634 | Pump SPX.H100 UL | |
| 74661 | 0635 | Pump carrier | |
| 71529 | 0636 | Membrane elastic pad V8 | |
| 74782 | 0638 | Jumper cable 2col. | |
| 67933 | 0641 | Cord sleeve 90° black | |

S15648 / s15648_07




| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 70848 | 0701 | Silicone hose D6.0xd3.0x190mm | |
| 72784 | 0702 | Squezzing-valve | |
| 62942 | 0703 | Fillister head screw 3.5x12 | |
| 74669 | 0704 | Silicone hose D6.0xd3.0x95mm | |
| 67762 | 0705 | Connection | |
| 68057 | 0706 | O-ring 100pcs (sep. 63444) | |
| 66289 | 0707 | Dispenser valve thermoblock | |
| 58625 | 0708 | Clamp | |
| 72283 | 0709 | Cord sleeve 180 black | |
| 72282 | 0710 | Hose FEP D4.0xd2.5x235mm | |
| 75195 | 0711 | Multi-valve compl. | |
| 75918 | 0712 | Setback valve compl. | |
| 69470 | 0713 | Fluid connection | |
| 70192 | 0714 | Connection s L-Form 90° | |
| 67933 | 0715 | Cord sleeve 90° black | |
| 74086 | 0716 | Silicone tissue hose D7.0xd3.6x230 | |
| 72247 | 0717 | Silicone hose D6.0xd3.0x350mm | |
| 65847 | 0718 | Hose FEP D4.0xd2.5x220mm | |
| 64882 | 0719 | Silicone tissue hose D7.0xd3.6x350mm | |
| 65903 | 0720 | Hose clamping 7.0-7.5 RoHS | |
| 64879 | 0721 | Silicone hose 6x3x160mm | |
| 64982 | 0722 | Clamp D=5mm black oxidised | |
| 65946 | 0723 | Screw KST/PT 3.5x12 RoHS | |

S15648 / s15648_08



| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 75383 | 0801 | Bar | |
| 74184 | 0803 | Collar black | |
| 62079 | 0804 | Screw kst/PT 3.0x20 | |
| 59469 | 0805 | Rubber buffer | |
| 59468 | 0806 | Tubular rivet 4x0.4x10 ms blan | |
| 74656 | 0809 | Funnel | |
| 74777 | 0810 | Grinder unit ME-068 120V / TYP 043 compl. | |
| 62549 | 0811 | Tie-rap | |
| 74779 | 0812 | Jumper cable 2col. UL | |
| 72295 | 0813 | Temp.-feeler support | |
| 75192 | 0814 | Axis carrier above | |
| 72190 | 0816 | Cap | |
| 75193 | 0817 | Axis carrier below | |
| 62587 | 0818 | Fillister head screw 3x12 | |
| 63501 | 0819 | Screw M3x10 Torx10 | |


S15648 / s15648_09



| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 74664 | 0901 | Brew unit assembled | |
| 73649 | 0902 | Drainage valve ready assembled | |
| 71658 | 0903 | Guide assembled quiet V2 | |
| 67314 | 0904 | O-ring 100pcs (sep. 67313) | |
| 67315 | 0904 | O-ring brew unit | |
| 69815 | 0909 | Grounds shovel V3 | |
| 64929 | 0910 | Screw M4x14 vz-blau Li-K | |
| 62942 | 0911 | Fillister head screw 3.5x12 | |
| 72522 | 0912 | Discharge channel | |
| 69998 | 0913 | Geared motor | |
| 74592 | 0914 | Screw M4x6 incl. washer | |
| 64847 | 0915 | Screw KST/PT 3.5x12 inox | |
| 64817 | 0916 | Elastic pad | |
| 75015 | 0917 | Encoder V2 | |
| 64858 | 0918 | Plate | |
| 64919 | 0919 | O-ring silicone 5.0x3.0 | |
| 66756 | 0920 | Sieve V3 | |
| 74665 | 0921 | Clamp to encoder V2 | |
| 65743 | 0922 | Screw M5x12 vz-blau Li-K | |
| 74675 | 0923 | Jumper cable 2col. | |
| 70848 | 0924 | Silicone hose D6.0xd3.0x190mm | |
| 70156 | 0925 | Motor UCL13N04B2KZ26 | |
| 64054 | 0926 | O-ring 100pcs (sep. 94389) | |
| 72553 | 0928 | O-ring 100pcs (sep. 72552) | |
| 75525 | 0929 | Motor carrier | |
| 75901 | 0930 | Jumper cable 4col | |

S15648 / s15648_10

1001




Verpackung/
Packing

1010




Betriebsmittel/
Operational funds

1020



Hinweise/
References

1040



Bedienungsanleitung/
Operating instructions

| Art.-Nr. | Pos | Designation | Variation |
|---|---|---|---|
| 68009 | 1010 | Cleaning tablets 2pcs. free | |
| 72621 | 1010 | Welcome Bag | |
| 74707 | 1010 | Container for Milk System cleaning | |
| 69633 | 1010 | Quantimeter black | |
| 59851 | 1010 | Water hardness test stripe | |
| 72821 | 1010 | Silicone hose 360mm | |
| 75577 | 1010 | Key Cappu | |
| 70930 | 1020 | SK Jura Contacts NA | |
| 58415 | 1020 | Grinder instruction sheet | |
| 75689 | 1040 | Instruction E8 US | |